

ROCKSOLAR®

SOLAR PUMP

DC Brushless

QB50-98.4ft-8.8GPM-48V-0.4hp


0.4 hp

20-40V
Best: 30-40V



GPM	8.8	7.9	6.6	5.7	4.4	3.5	0
L/min	33	30	25	21	17	14	0
H (ft)	0	16.4	32.8	49.2	65.6	82	98.4

400w*1pcs



Built-in Controller
Easy installation and easy maintenance



- All-copper impeller, long service life
- All-copper 180-degree high temperature cable, high reliability
- MPPT high performance, higher efficiency

ROCKSOLAR®

SOLAR PUMP

DC Brushless

QB60-203ft-9.7GPM-96V-1.07hp

1.07 hp

**40-90V
Best: 60-76V**

GPM	9.6	9.2	7.4	5.7	4.8	3.5	2.2
L/min	36	35	28	22	18	14	8
H (ft)	0	32.8	32.8	98.4	131	164	196



500W*2pcs



**Built-in Controller
Easy installation and easy maintenance**



- All-copper impeller, long service life
- All-copper 180-degree high temperature cable, high reliability
- MPPT high performance, higher efficiency

ROCKSOLAR®

SOLAR PUMP

DC Brushless

CPM146-114ft-24.2GPM-150V-1.07hp

1.07 hp


**65-110V
Best: 90-110V**



GPM	24.2	22	19.8	18	15.4	11	6.6
L/min	92	83	75	69	58	41	25
H (ft)	0	16.4	32.8	49.2	65.6	82	98.4



400w*3pcs



**Built-in Controller
Easy installation and easy maintenance**



- All-copper impeller, long service life
- All-copper 180-degree high temperature cable, high reliability
- MPPT high performance, higher efficiency



ROCKSOLAR®

SOLAR PUMP

DC Brushless

SFH5A-85ft-97.3GPM-450V-1.87hp

1.87 hp


**60-450V
Best: 180-230V**



85 ft

GPM	97.3	89.3	71.7	52.8	37.4	14.9
L/min	368	339	271	200	141	56
H (ft)	0	16.4	32.8	49.2	65.6	82

400w*6pcs



**Built-in Controller
Easy installation and easy maintenance**



- All-copper impeller, long service life
- All-copper 180-degree high temperature cable, high reliability
- MPPT high performance, higher efficiency

ROCKSOLAR®

SOLAR PUMP

DC Brushless

SFH6A-82ft-268GPM-450V-3.75hp

3.75 hp


**60-450V
Best: 300-380V**



82 ft

GPM	268	241	193	139	95.9	45.3
L/min	1015	914	733	527	363	172
H (ft)	0	16.4	32.8	49.2	65.6	82

400w*10pcs



**Built-in Controller
Easy installation and easy maintenance**

- All-copper impeller, long service life
- All-copper 180-degree high temperature cable, high reliability
- MPPT high performance, higher efficiency